APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	AUG 10 1998
Returned to applicant for correction	AUG 19 1998
Corrected application filed	SEP 14 1998
Map filed	SEP 14 1998

The applicant Nevada Area Council Boy Scouts of America, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.	

1. The source of the proposed appropriation is Unnamed creek	
2. The amount of water applied for is 0.17 s	second-feet
(a) If stored in reservoir give number of acre-feet	
3. The water to be used for Quasi-Municipal	
4. If use is for:	
(a) Irrigation, state number of acres to be irrigated	
(b) Stockwater, state number and kinds of animals to be watered	
(c) Other use (describe fully under No. 12. "Remarks")	
(d) Power:(1) Horsepower developed	
(2) Point of return of water to s	tream
5. The water is to be diverted from its source at the following point $NE_{\frac{1}{4}}$ $NE_{\frac{1}{4}}$ Section 5, T18N, R18E M.D.M. from which point the NE corner of said Section 5 bears N 75° E, 700 feet.	
6. Place of Use $SW_{\frac{1}{4}}$ $SE_{\frac{1}{4}}$ Section 29 and N of Section 32, T19N, S18E, M.D.M. (200	
7. Use will begin about January 1 and end a	about December 31 of each year.
8. Description of proposed works Spring collection box, 2" pipe, filtration unit, 5000 gallon tank, distribution system	
9. Estimated cost of works \$80,000	
10. Estimated time required to construct works 3 years	
11. Estimated time required to complete the application of water to beneficial use 5 years	
12. Remarks: 25 Boy Scout camp sites kitchen, showers, staff quarters).	s and support structures (group
Ву	s/Hampton M. Young 648 Lander Street

Compared my/bk

Protested 12/9/98 USDA Forest Service;

Reno, Nevada 89509

WIHDRAWN BY APPLICANT OCT 17 2002

STATE ENGINEER

_____OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: